

**Form-IV**  
(See rule 13)

**ANNUAL REPORT**

[ To be submitted to the prescribed authority on or before 30<sup>th</sup> June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

SL. NO.	Particulars																	
1.	Particulars of the Occupier	:																
	(i) Name of the authorized person (occupier or operator of facility)	:	<b>DR. SUSHIL KUMAR SAINI ( DIRECTOR)</b>															
	(ii) Name of HCF or CBMWTF	:	<b>BIO-MEDICAL WASTE TREATMENT PLANT PVT. LTD.</b>															
	(iii) Address for Correspondence	:	<b>C/O SAINI EYE HOSPITAL, DHANGU ROAD, TEHSIL &amp; DISTRICT- PATHANKOT-145001</b>															
	(iv) Address of Facility	:	<b>VILLAGE- PANGOLI, DEFENCE ROAD, PATHANKOT-PUNJAB- PIN CODE-145001</b>															
	(v) Tel. No, Fax. No	:	<b>9417022772,9417607440</b>															
	(vi) E-mail ID	:	<b>bmwttrust@yahoo.com/bmwtppl@gmail.com</b>															
	(vii) URL of Website	:	<b>www.bmwtppl.com</b>															
	(viii) GPS coordinates of HCF or CBMWTF	:	<b>GPRS System Attached For all the Vehicles As Per CBWTF rules</b>															
	(ix) Ownership of HCF or CBMWTF	:	<b>(State Government or Private or Semi Govt. or any other) Private</b>															
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules :	:	<b>Authorization No. <u>BMW/FRESH/PKT/2022/19226969</u> valid up to <b>30-06-2027</b></b>															
	(xi). Status of Consents under Water Act and Air Act	:	<b>Valid up to <b>30-06-2027</b></b>															
2.	Type of Health Care Facility	:	<b>CBWTF</b>															
	(i) Bedded Hospital	:	<b>No. of Beds..... N A</b>															
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	<b>N A</b>															
	(iii) License number and its date of expiry	:	<b>GDROFL4798 EXPIRY ON 01-01-2029.</b>															
3.	Details of CBMWTF	:																
	(i) Number healthcare facilities covered by CBMWTF	:	<b>2503 UP To 31.12.2024</b>															
	(ii) No of beds covered by CBMWTF	:	<b>12350</b>															
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	<b>3000 Kg per/ day</b>															
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	<b>2673.89 Kg/day</b>															
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	<table border="1"> <tr> <td>Yellow Category :</td> <td><b>295457.70 kg</b></td> <td>Per/annum</td> </tr> <tr> <td>Red Category :</td> <td><b>482530.73 kg</b></td> <td>Per/annum</td> </tr> <tr> <td>White:</td> <td><b>12088.08 kg</b></td> <td>Per/annum</td> </tr> <tr> <td>Blue Category :</td> <td><b>172523.67 kg</b></td> <td>Per/annum</td> </tr> <tr> <td>General Solid waste:</td> <td><b>Nil</b></td> <td>Per/ annum</td> </tr> </table>	Yellow Category :	<b>295457.70 kg</b>	Per/annum	Red Category :	<b>482530.73 kg</b>	Per/annum	White:	<b>12088.08 kg</b>	Per/annum	Blue Category :	<b>172523.67 kg</b>	Per/annum	General Solid waste:	<b>Nil</b>	Per/ annum
Yellow Category :	<b>295457.70 kg</b>	Per/annum																
Red Category :	<b>482530.73 kg</b>	Per/annum																
White:	<b>12088.08 kg</b>	Per/annum																
Blue Category :	<b>172523.67 kg</b>	Per/annum																
General Solid waste:	<b>Nil</b>	Per/ annum																



5.	Details of the Storage, treatment, transportation, processing and Disposal Facility			
	(i) Details of the on-site storage facility	:	Size : (1) <b>1239.5 SQF</b>	
			Capacity : <b>10000 Kg</b>	
			Provision of on-site storage : (cold storage or any other provision)	
	disposal facilities		Type of treatment equipment	No of units      Cap acuity      Quantity treated or disposed in kg Kg/day per annum
			Incinerators	<b>01    150 kg/hour      295457.70 Kg</b>
			Plasma Pyrolysis	
			Autoclaves	<b>02 (a) 2850 Ltr of each/ Batch    667142.48 Kg</b> <b>(b) 2000 Ltr of each/ Batch</b>
			Microwave Hydroclave Shredder	<b>(02)    300 kg/ hour, 100 kg/hour</b>
		Needle tip cutter or destroyer		
		Sharps encapsulation or concrete pit	<b>3 Pits</b>	
		Deep burial pits:		
		Chemical disinfection:		
		Any other treatment equipment:		
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	Red Category (like plastic, glass etc.) <b>695706.0 Kg</b>	
	(iv) No of vehicles used for collection and transportation of biomedical waste	:	<b>15 No. of Vehicles</b>	
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum		Ash ETP Sludge	Quantity generated <b>45394.0 kg      6392.8 kg</b> Where disposed Incineration <b>47352.0 kg      5668.0 kg</b>
	(vi) Name of the Common Bio Medical Waste Treatment Facility Operator through which wastes are disposed of	:	<b>TSDF Re-Sustainability Limited, Vill. Nimbua, Tehsil- Derabasi, District- Mohali-Punjab</b>	
	(vii) List of member HCF not handed over bio-medical waste.		<b>NIL</b>	
6.	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		<b>N-A</b>	
7.	Details trainings conducted on BMW		<b>YES</b>	
	(i) Number of trainings conducted on BMW Management.		<b>14</b>	
	(ii) number of personnel trained		<b>26</b>	
	(iii) number of personnel trained at the time of induction		<b>22</b>	
	(iv) number of personnel not undergone any training so far		<b>0</b>	



	(v) whether standard manual for training is available?		<b>YES</b>
	(vi) any other information)		<b>N-A</b>
8.	Details of the accident occurred during the year		<b>NIL</b>
	(i) Number of Accidents occurred		<b>NIL</b>
	(ii) Number of the persons affected		<b>NIL</b>
	(iii) Remedial Action taken (Please attach details if any)		<b>NO</b>
	(iv) Any Fatality occurred, details.		<b>NIL</b>
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		<b>YES , APCD ATTACHED WITH INCINERATOR as Per BMW Rules 2016.</b>
	Details of Continuous online emission monitoring systems installed		<b>Yes, Installed by Drexel Electronics &amp; Engg. Products Pvt. Ltd.</b>
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		<b>Yes, ETP is installed</b>
11.	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		<b>All the parameter are within limits as per report</b>
12.	Any other relevant information	:	<b>(Air Pollution Control Devices attached with the Incinerator)</b>

**Certified that the above report is for the period from 1st JAN. 2024 to 31<sup>st</sup> DEC. 2024.**

.....  
.....  
.....  
.....



**Name and Signature of the Head of the Institution**

**Date: 28/02/2025**  
**Place PATHANKOT**